



Overhead Hoist Crane 4 Channel Radio Remote Control Multi voltage 18~440V

Key features

• 3 Year Warranty, Customer Support and Service in the USA

Overhead Hoist Crane 4 Channel Radio Remote Control Multi voltage 18~440V



Technical Specifications

FCC ID	OFNF21	Transmitter Power	≤10dBm
Transmitter Power Supply	2 AA batteries	Wireless Frequency Range	VHF: 310~331 MHz; UHF: 425 ~ 446 MHz
Material	Glass-Fiber PA	IEC Motor Protection	IP65
Control Distance	Approx 100m (200 meters is customized)	Operating Temperature Range	-40 ~ 185 °F / -40 ~ 85°C
Safety Code	32 bits (4.3 billion)	Warranty	3 Year





F21-4S/4D TRANSMITTER

Economical, safe, convenient





MODEL: F21-4S-TX ITEM CODE: 921-004-001 Dimensions: 156 x 61 x 51 mm Weight: 255g (without batteries)

Product Features:

- 4 buttons (D means double steps). spare button
- 8 control contactors.
- With battery voltage warning device, the power supply is cut off during low power.
- Program the button function by computer interface.
- Up/Down, East/West can be programmed to interlock or non-interlock.
- The spare button can be programmed to start, toggle or normal, etc.

Standard Configuration:

- One transmitter (with hanging belt)
- One dust bag
- One receiver
- Receiver with 1.6 meter cable
- · Battery: One pair
- One receiver antenna.
- Operation and maintenance manual.

Safety features:

Each radio remote control system functions in all manner of operational conditions equipped with their own unique identity code (ID-Code). This means that only the correct control unit can activate and control its matching receiver (crane/machine) for maximum safety. The system is FCC and CE certificates.

Packaging Weight & Dimensions



Unit Weight & Dimensions

Total Unit Weight	2 lbs / 1 Kg	Package 1 Net Weight	2 lbs / 1 Kg
		Package 1 Width	13 in / 33.02 cm
		Package 1 Gross Weight	2 lbs / 1 Kg
		Package 1 Height	6.5 in / 16.51 cm





Package 1 Length

8 in / 20.32 cm

