



5 Ton Diesel Power Winch with Electric Start 9HP 11000 lbs.

Key features

- Diesel winches are widely used in construction, towers, tight lines, lifting tools and heavy objects.
- The small and lightweight diesel engine is especially suitable for use in field power-free locations.
- 1 Year Warranty, Customer Support and Service in the USA

The **5 ton diesel winch** is usually used outdoor where electric supply is not available. Powered by a diesel engine, the diesel winch doesn't need an additional generator, which makes the diesel powered winch an ideal solution for lifting or pulling loads in remote areas with little to no electric supply. Besides, the diesel powered winch can also be utilized as an anchoring winch on a platform or ship.



Prowinch LLC Certified under Standard Quality Management Systems ISO 9001






Technical Specifications


1st Layer Rated Capacity	11023 lb / 5000 kg	Motor/Engine Power	6.7 kW / 9 HP
Speed /min	13-79 ft/min / 4-24 m/min	Tank	5.5 L
Number of Speeds	2 Speed	Wire Rope	ø5/8 in x 262.5 ft ø16 mm x 80 m
Motor/Engine Type	KOOP KD186F Diesel	Warranty	1 Year

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001









Dimensions in cms / Dimensiones en cms

Gear / Caja de cambio						
Parameter	I		П			
Parámetros			П			
	Fast / Rápido	Slow / Lento	Fast / Rápido	Slow / Lento		
Capacity Capacidad	5511 lb / 2.5 t	11023 lb / 5t	1800 lb / 0.9 t	3306 lb / 1.5 t		
Speed (per min) Velocidad (por min)	26 ft / 8 m	13 ft / 4 m	78.7 ft / 24 m	42.6 ft / 13 m		

Unit Weight & Dimensions

Total Unit Weight

564 lbs / 256 Kg

Packaging Weight & Dimensions

Package 1 Net Weight Package 1 Width 564 lbs / 256 Kg 22 in / 55.88 cm

www.prowinch.com

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001







Package 1 Gross Weight	564 lbs / 256 Kg
Package 1 Height	28 in / 71.12 cm
Package 1 Length	54 in / 137.16 cm

www.prowinch.com

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001

