



5 Ton Diesel Capstan Winch 10000 lbs 9 HP with Electric Starter


Key features

- 1 Year Warranty, Customer Support and Service in the USA


5 Ton Diesel Capstan Winch 10000 lbs

Technical Specifications


Rated Load Capacity	5 ton	Motor Brand and Model	Koop 186F 9 HP
1st Layer Rated Capacity	11023 lb / 5000 kg	Motor/Engine Type	Diesel Electric Start
Number of Layers	1	Motor/Engine Power	9 HP
Speed /min	13 - 79 ft/min / 4 - 24 m/min	Control	Gearshift on the Capstan
Number of Speeds	4 Speed	Transmission / Reducer Type	Direct Gearbox
Wire rope capacity per layer first/last	Unlimited	Drum Type	Capstan
Total Power Watts	7.8 kW	Warranty	1 Year




VISTA EN PLANTA





VISTA FRONTAL



VISTA EN ELEVACION



VISTA POSTERIOR



Gear / Caja de cambio				
Parameter	I		II	
Parámetros				
	Fast / Rápido	Slow / Lento	Fast / Rápido	Slow / Lento
Capacity	5511 lb / 2.5 t	11023 lb / 5t	1763 lb / 0.8 t	3306 lb / 1.5 t
Capacidad				
Speed (per min)	26 ft / 8 m	13 ft / 4 m	78.7 ft / 24 m	42.6 ft / 13 m
Velocidad (por min)				

Service/Servicio	Load/Carga	Time/Tiempo	Maintenance/Mantenimiento
Normal	< 65%	< 25%	6~12 (months/meses)
Heavy/Pesado	> 65%	> 25%	3~6 (months/meses)
Severe/Severo	Abnormal Conditions En Condiciones Anormales Environmental, Geographical & Risky Ambientales, Geográficas & Riesgosas		1~3 (months/meses)
	<100%	<Duty cycle limit <Limite ciclo de trabajo	

Unit Weight & Dimensions

Total Unit Weight	429 lbs / 195 Kg
--------------------------	------------------

Packaging Weight & Dimensions

Package 1 Net Weight	429 lbs / 195 Kg
-----------------------------	------------------

Package 1 Width	22 in / 55.88 cm
------------------------	------------------

Package 1 Gross Weight	430 lbs / 195 Kg
-------------------------------	------------------

Package 1 Height	28 in / 71.12 cm
-------------------------	------------------

Package 1 Length	48 in / 121.92 cm
-------------------------	-------------------