



Bridge Crane with Hoist 20 Tons

Key features

• 3 Year Warranty, Customer Support and Service in the USA

Bridge Crane with Hoist 20 Tons

Prowinch LLC Certified under Standard Quality Management Systems ISO <u>9001</u> info@prowinch.com





Technical Specifications

Warranty

3 Year



Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com



Prol/INCH





Model/Modelo	PWMS20T
Capacity	44092 lb / 20000 kg
Capacidad	
Speed (per min)	2 -13 ft / 0.6 - 4 m
Velocidad (por min)	
Traveling Speed (per min)	16.4 - 65.6 ft / 5 - 20 m
Velocidad Desplazamiento (por min)	
Lifting Height	39 ft / 12 m
Altura de Izaje	
Lifting Motor	2.6 - 16 kW
Motor de Izaje	
Traveling Motor	0.55 kW x 2
Motor Desplazamiento	
Duty Class	M5
Clase de Servicio	




Warranty: 3 Year / Certification valid for 1 year / 10 year parts and service availability Garantía: 3 Años / Certificación valida por 1 año / 10 Años disponibilidad de piezas y servicio

Dimensions in mm / Dimensiones en mm













Model/Modelo	PWSP20T
Capacity	44092 lb / 20000 kg
Capacidad	
Length	9.8 ft / 3 m
Longitud	
Speed (per min)	13 - 65.6 ft / 4 - 20 m
Velocidad (por min)	
Motor Power	1.5 kW
Potencia Motor	
Gear Diameter	13.3 in / 340 mm
Diámetro Engranaje	
Duty Class	M4
Clase de Servicio	





www.prowinch.com

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com

